



## How to Use

- Cut design using EasyWeed Adhesive just as you would regular HTV and weed it out.
- Press EasyWeed Adhesive at 305°F for 5 seconds
- Cut a piece of foil (s) big enough to cover the design and place over the pressed adhesive.
- Press the foil onto the adhesive at 311°F for 15 seconds and allow to completely cool before peeling away.

## Troubleshooting

**Q:**Some places of my foil did not stick?

**A:** Simply cut another piece of foil and repress. This is a sign of not having enough pressure during the press.

**Q:**Can I use multiple foils in one design and press?

**A:**Yes! Use as many as you would like to create your design.

**Q:**Can the foils be used in other ways?

**A:**Yes. The foils can be used for paper crafting with laser ink toner. You can crinkle the foil and press to a shirt for a distressed look or peel warm for a distressed look as well!



# Application Instructions

## Home Iron:

Due to the even distribution of heat needed with this product we do not recommend this method of application.

## Easy Press:

- Cover design with Teflon Sheet
- Pre-heat Garment for 2-3 seconds
- Apply Design at 341°F/171°C
- Use Body weight with Medium Pressure for 15 seconds
- Peel Foil cold

## Heat Press:

- Cover design with Teflon Sheet
- Pre-heat Garment for 2-3 seconds
- Apply Design at 311°F/155°C
- Use Medium Pressure for 15 seconds
- Peel Foil cold

Tips: Pressure is key to a good press. This product only works with EasyWeed Adhesive. Do not pre wash garments, and wait 24 hours before first wash. Machine wash cold, inside out with mild detergent. Dry on normal dryer setting. Do not dry clean.



Updated on: 06/17/20

## HEAT TRANSFER VINYL CUT SETTINGS FOR CAMEO

Vinyl Type	Blade	Speed	Force
<b>Siser:</b> EasyWeed, Electric, Stretch, Extra, Glow in the dark, and EW Adhesive	2	8	4
<b>Siser Glitter</b>	4	8	30
<b>Siser Twinkle</b>	3	8	12
<b>Siser Sparkle</b>	2	8	12
<b>Siser Holographic &amp; Metal</b>	3	5	14
<b>Siser Brick</b>	10	5	33
<b>Siser StripFlock Pro</b>	4	5	12
<b>Siser Reflective</b>	3	8	6
<b>StarCraft SoftFlex</b>	2	8	8
<b>StarCraft InkJet Printable:</b> Dark Materials	2	8	6
<b>Printed Pattern HTV</b> Do not mirror*	3	8	6
<b>Easy Subli</b>	3	5	8



Updated on: 06/17/20

## HEAT TRANSFER VINYL CUT SETTINGS FOR CRICUT EXPLORE

Vinyl Type	Dial	Pressure Custom	Pressure
<b>Siser:</b> EasyWeed, Electric, Stretch, Extra, Glow in the dark, and EW Adhesive	Iron on	-	Default
<b>Siser Glitter</b>	Cardstock	-	Default
<b>Siser Twinkle</b>	Iron on+	-	Default
<b>Siser Sparkle</b>	Iron on+	-	Default
<b>Siser Holographic &amp; Metal</b>	Iron on+	-	Default
<b>Siser Brick</b>	Iron on+	-	Default
<b>Siser StripFlock Pro</b>	Iron on+	-	Default
<b>Siser Reflective</b>	Iron on+	-	Default
<b>StarCraft SoftFlex</b>	Iron on	-	Default
<b>StarCraft InkJet Printable:</b> Dark Materials	Iron on	-	Default
<b>Printed Pattern HTV</b>	Iron on	-	Default
<b>Easy Subli</b>	Iron on+	-	Default



Updated on: 06/17/20

## HEAT TRANSFER VINYL CUT SETTINGS FOR CRICUT MAKER

Vinyl Type	Material	Pressure Custom	Pressure
<b>Siser:</b> EasyWeed, Electric, Stretch, Extra, Glow in the dark, and EW Adhesive	Everyday Iron-On	-	Default
<b>Siser Glitter</b>	Glitter Iron-On	-	Default
<b>Siser Twinkle</b>	Glitter Iron-On	-	Less
<b>Siser Sparkle</b>	Everyday Iron-On	-	More
<b>Siser Holographic &amp; Metal</b>	Holographic Heat Transfer	-	Default
<b>Siser Brick</b>	Flocked Iron-On	-	More
<b>Siser StripFlock Pro</b>	Flocked Iron-On	-	Default
<b>Siser Reflective</b>	Everyday Iron-On	-	More
<b>StarCraft SoftFlex</b>	Everyday Iron-On	-	Default
<b>StarCraft InkJet Printable:</b> Dark Materials	Printable Iron-On-Dark	-	Default
<b>Printed Pattern HTV</b>	Patterned Iron-On	-	Less
<b>Easy Subli</b>	custom	118	Default